


CEILING SYSTEMS
CORRIDOR SOLUTIONS

420 series

SELF SUPPORTED LAY-IN



A lay-in type self-supported ceiling for corridor solutions. No suspension is required other than the "L" or "W" trim at the walls. An ideal solution for congested areas with ducts & other MEP services, in areas of limited ceiling drop. Fully de-mountable with easy accessibility to ceiling void without any intermediate support. Panels overlap at the long side. Offered in a wide range of sizes, colors & finishes.

FEATURES

MATERIAL

Aluminum Alloy as per EN AW 3000 or 5000 series.

Zinc Plated Galvanized Steel G90 grade.

THICKNESS

Aluminum or Galvanized Steel:
0.5mm to 0.8mm

+ Custom thickness are available upon request

SURFACE FINISH

Plain
Perforated
Decorative Patterns

SIZE (mm)

WIDTH
200 to 700

LENGTH
900 to 3000

EDGE
Square

+ Custom sizes are available upon request

COATING

Polyester Coating: ((5 μ (Back) + 20 μ (Face))

Polyester Powder Coating: (70 μ -80 μ)

+ High Performance Coatings like PESDF, PVDF and POLYAMIDE are available upon request.

INSULATION

Acoustic Black Fleece is non-flammable and meets the standard DIN 4102 / B1. Classification A1 according to EN 13501-1.

Rockwool slabs conforming to ASTM C612 and equivalent BS 3958-5 are provided for acoustic insulation.

COLORS



RAL 9003



RAL 9010



RAL 9016



RAL 9006

SPECIAL FINISHES



Red Oak



Natural



Mirror




Brush


+ See www.dorsoram.com for additional colors & special finishes available

+ Special finishes can be provided in lamination, sublimation or coil coating process.


PERFORATION PATTERNS



RD 1850



RD 1540



RD 3090

+ See www.dorsoram.com for all available pattern options

DATA / PERFORMANCE



ACOUSTICS

Tested as per BS EN ISO 354: 2003 for sound absorption, noise reduction and sound attenuation.

NRC achieved with Acoustic Black fleece – NRC 0.75

NRC achieved with Acoustic Black Fleece and Rockwool Insulation – NRC 1.00

Tested as per ASTM E1414-11a for Airborne Sound Attenuation as per ISO 10848-2.

CAC can achieved up to – 48 dB

Perforated & Sound Attenuation cover



ANTI BACTERIAL COATING

Tested as per JIS Z 2801: 2000, which inhibits the growth of bacteria on the applied surface.



LIGHT REFLECTANCE (LR)

Achieved by the metal ceiling is LR – 0.85-0.96 tested as per ASTM E 1477.



FIRE PERFORMANCE


Surface Spread of flame Class 1 tested as per BS 476: Part 7: 1997

“Non-Combustible” Material tested as per BS 476: Part4: 1970

Flame Spread and Smoke Development Index tested as per ASTM E84 (Class 1 or A)

RAM 421 LAY-IN

ISOMETRIC DETAIL



COMPONENTS


- 1 Panel
- 2 Wall Trim
- 3 T-Joint Profile •




• Optional

Custom sizes can be offered

T-JOINT SECTIONAL DETAIL



PERIMETER OPTIONS



JOINT DETAIL



PANEL STRIP MODULES

